

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexascian, Virginia 22313-1450 www.nepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/786,876	02/24/2004	Vijay D. Parkhe	008850 USA/CPI/COPPER/PJS	1903
61285 Ashok K. Jana	7590 08/13/201 h	0	EXAMINER	
650 DELANCEY STREET, SUITE 106			MOORE, KARLA A	
SAN FRANCISCO, CA 94107			ART UNIT	PAPER NUMBER
			1716	
			MAIL DATE	DELIVERY MODE
			08/13/2010	DADED

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Response to Rule 312 Communication

Application No.	Applicant(s)	
10/786,876	PARKHE ET AL.	
Examiner	Art Unit	
KARLA MOORE	1716	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

_	amendment filed on <u>04 August 2010</u> under 37 CFR 1.312 has been considered, and has been:
a) 🗌	entered.
b) 🔲	entered as directed to matters of form not affecting the scope of the invention.
c) 🔲	disapproved because the amendment was filed after the payment of the issue fee.
	Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1)
	and the required fee to withdraw the application from issue.
d) 🛛	disapproved. See explanation below.
e) 🗌	entered in part. See explanation below.
depen Exami was of	roposed amendment to claim 15 appears to be in error, as there is no pending claim 1 from which claim 15 can d. In order that the entire communication could be entered and considered, as is necessary in this instance, ner contacted Applicant's Attorney (via voicemail) to propose an Examiner's amendment to fix this discrepancy, but fno avail. Therefore, the communication/amendments have been disapproved. Applicant should re-submit a ted, replacement 312 communication to address each of the issues of this disapproved 312 communication.

/Karla Moore/ Primary Examiner, Art Unit 1716